



AFFECTION 19




Product properties


Widths (m)	4.00/5.00	Backing	FusionBac
Texture	Scroll/Tip-sheared	Pile composition	100% Polyamide (Nylon)
Aspect	Structured/dessin/kids	Pattern repeating every L*W (cm)	
Domestic Use (* if stairs symbol is present)	Intensive : Bedroom, Guest room, Living, Dining, Hobby, Office, Study, Stairs(*), Entrance , Hallway	Commercial Use	-
Pile height (mm)	6.0	Total thickness (mm)	8.5
Pile weight (g/m2)	950	Total weight (g/m2)	1880
Prodis certificate	AFFETA_PRODIS.PDF	CE certificate	AFFETA_CE.PDF
Gauge (inch)	1/10	Tufts (per m2)	205400
Accoustical impact noise (dB)	27	Thermal resistance (m2C°/W)	0.120
Standard roll length (m)	26	Sample dimensions (W x30X40 H cm)	
Fire class remark	N/A	Fire class certification report	17/1781
Fire Classification	Cfl-s1	DIBT Approval nr	
Cut service	Yes	Contract collection	No
UPEC classification report		Rolled up	Pile Inwards
Backing type			
Yarn type			
DOP	1008#BL0001		




Available colors




AFFECTION 78




AFFECTION 19




AFFECTION 99



AFFECTION 98



AFFECTION 97




AFFECTION 49




AFFECTION 34




AFFECTION 37




AFFECTION 36



AFFECTION 54



AFFECTION 42



AFFECTION 47