

Epoca Structure

Product description



ege

design · quality · respect

Product description	Methods	Product data
Construction		
Structure	ISO 2424	Woven loop pile
Pile material	DIR 96/73, 96/74	100% Polyamide
Coloration	-	Continue
Backing	eTL	WT - Woven textile
Dimensions	ISO 3018	Approx. 400 cm
Total thickness	.	0.18"
	ISO 1765	Ca. 4,5 mm.
Total carpet weight	ISO 8543	Ca. 2.400 g/m2
	.	70.8 oz./yd2
Pile yarn weight	eTL	700 g/m2
	.	20.65 oz./yd2
ege soil protection	eTL	Yes

Performance ratings

Performance areas	EN15114	Class 33 Commercial - Heavy
Wear guarantee	eTL	Contract certificate
Performance areas	Gulvbranchen	Klasse 33
Castor chair suitability	EN 985	Yes, constant use
Suitable for use on stairs	EN 1963	Yes
Static control	eTL	Permanently antistatic
Body walking test	ISO 6356	Antistatic
Acou.insu. from impact noise	eTL	16 dB
Acoustical absorption	eTL	0,15 aW
Suitable for underfloorheating	ISO 8302	Yes
Colour fastness to Light	ISO 105-B02	>5
	AATCC 16	5.0
Colour fastness to rubbing wet	EN ISO 105-X12	>3
	AATCC 165	5.0
Colour fastness to Rubbing Dry	EN ISO 105-X12	>3-4
	AATCC 165	5.0
Colourfast. to Water Patterned	EN ISO 105-E01	>4
Cleaning	AATCC 138	5.0
Colour fastness to Ozone	AATCC 129	4.5
Colour fast.Oxides of Nitrogen	AATCC 164	4.5
Other performance tests	ASTM D5252 Hexapod	4.5/ 4.5
	-	Commercial - Heavy
	AATCC 134 Electrostatic propensity	1.5 kV

Safety & Environment

CE Labeling	EN 14041	Certified
EC Certificate	EN 14041	2531-CPR-CXA10010C
CE Labeling	Declaration of Performance	DOP 9711-10C
Fire classification	DK,MK GODKENDELSE	Godkendt
	D,DIBT AbZ.no.	Z-156.601-377
	CH,VKF/AEAI	Cfl-s1
	ASTM E-648	Class 1
	ASTM E662 Smoke Density	<450

Product description	Methods	Product data
Indoor air	ASTM D2859 Surface Flamm.	Pass
	EN13501-1 euro class	Cfl-s1
	AU,ASISO 9239.1-2003	4,70 KW/m2
	DIM Certifikat	No.006
	M1	With WTA Backing
Environment	Green Label Plus	Approved
	Emissions dans l'air intérieur	A+/A+
	Byggvarudeklaration	BVD 3
	BREEAM-NOR	With WTA Backing
	Environmental Product Decl.	EPD-EGE-20130067-CBD1-EN
	LEED	Qualified

Guides

Installation+adhensive guide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Cleaning, stain removal	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

Manufacturer

Factory certification	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	EMAS	Audited and verified by BVC
	OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK
	TransQ	Qualified