

RADIANT 05



Product properties

Widths (m)	4.00/5.00	Backing	FusionBac
Texture	Saxony	Pile composition	100% Polyamide (Nylon)
Aspect	Plain color/speckled	Pattern repeating every L*W (cm)	
Domestic Use (* if stairs symbol is present)	Intensive : Bedroom, Guest room, Living, Dining, Hobby, Office, Study, Stairs(*), Entrance , Hallway	Commercial Use	-
Pile height (mm)	11.0	Total thickness (mm)	13.5
Pile weight (g/m2)	1350	Total weight (g/m2)	2160
Prodis certificate	RADATA_PRODIS.PDF	CE certificate	RADATA_CE.PDF
Gauge (inch)	1/10	Tufts (per m2)	237000
Accoustical impact noise (dB)	33	Thermal resistance (m2C°/W)	0.140
Standard roll length (m)	26	Sample dimensions (W x H cm)	
Fire class remark	N/A	Fire class certification report	16/1085
Fire Classification	Cfl-s1	DIBT Approval nr	
Cut service	Yes	Contract collection	No
UPEC classification report		Rolled up	Pile Inwards
Backing type			
Yarn type			
DOP	1008#BL0001		



Available colors




RADIANT 05 RADIANT 54 RADIANT 21 RADIANT 24 RADIANT 73



RADIANT 34 RADIANT 48 RADIANT 84 RADIANT 10 RADIANT 28



RADIANT 90 RADIANT 44 RADIANT 19 RADIANT 17 RADIANT 78



RADIANT 49 RADIANT 95 RADIANT 99