

# TIMELESS 11



## Product properties

Widths (m)	4.00/5.00	Backing	FusionBac
Texture	Frisé	Pile composition	100% Polyamide (Nylon)
Aspect	Plain color/speckled	Pattern repeating every L*W (cm)	
Domestic Use (* if stairs symbol is present)	Intensive : Bedroom, Guest room, Living, Dining, Hobby, Office, Study, Stairs(*), Entrance , Hallway	Commercial Use	-
Pile height (mm)	7.5	Total thickness (mm)	10.0
Pile weight (g/m2)	950	Total weight (g/m2)	1810
Prodis certificate	TIMETA_PRODIS.PDF	CE certificate	TIMETA_CE.PDF
Gauge (inch)	1/10	Tufts (per m2)	177750
Accoustical impact noise (dB)	28	Thermal resistance (m2C°/W)	0.120
Standard roll length (m)	26	Sample dimensions (W x10X30 H cm)	
Fire class remark	N/A	Fire class certification report	
Fire Classification	Cfl-s1	DIBT Approval nr	
Cut service	Yes	Contract collection	No
UPEC classification report		Rolled up	Pile Inwards
Backing type			
Yarn type			
DOP	1008#BL0001		

REG.NR  
**0FD1CA5D**  
www.pro-dis.info

ENVIRONMENT • CARPETS TESTED FOR A BETTER LIVING ENVIRONMENT • GUT TESTED



Available colors



TIMELESS 34

TIMELESS 39

TIMELESS 32

TIMELESS 92

TIMELESS 95



TIMELESS 97

TIMELESS 99

TIMELESS 78

TIMELESS 74

TIMELESS 24



TIMELESS 49

TIMELESS 59

TIMELESS 38

TIMELESS 11