

VIBES 03



Product properties

Widths (m)	4.00/5.00	Backing	FusionBac
Texture	Frisé	Pile composition	Solution Dyed Nylon (SDN)
Aspect	Plain color/speckled	Pattern repeating every L*W (cm)	
Domestic Use (* if stairs symbol is present)	Intensive : Bedroom, Guest room, Living, Dining, Hobby, Office, Study, Stairs(*), Entrance , Hallway	Commercial Use	-
Pile height (mm)	8.0	Total thickness (mm)	10.5
Pile weight (g/m2)	1650	Total weight (g/m2)	2480
Prodis certificate	VBESTA_PRODIS.PDF	CE certificate	VBESTA_CE.PDF
Gauge (inch)	1/10	Tufts (per m2)	213300
Accoustical impact noise (dB)	32	Thermal resistance (m2C°/W)	0.150
Standard roll length (m)	25	Sample dimensions (W x10X30 H cm)	
Fire class remark	N/A	Fire class certification report	17/1781
Fire Classification	Cfl-s1	DIBT Approval nr	
Cut service	Yes	Contract collection	No
UPEC classification report		Rolled up	Pile Inwards
Backing type			
Yarn type			
DOP	1008#BL0001		

REG.NR
C24885D8
www.pro-dis.info

ENVIRONMENT • CARPETS TESTED FOR A BETTER LIVING ENVIRONMENT • GUT TESTED

Available colors



VIBES 90

VIBES 97

VIBES 95

VIBES 98

VIBES 75



VIBES 29

VIBES 38

VIBES 39

VIBES 37

VIBES 34



VIBES 33

VIBES 03

VIBES 44

VIBES 94